

## presto Primer/Filler

## Technical Information



The ideal primer for use as filler and as an adhesion promoter between surface and final coat. Overcoatable with air-drying acrylic, synthetic and nitro-combi lacquers. For metal, wood, ceramic, stone, cardboard, etc. Perfect primer for subsequent coating with DUPLI-COLOR Auto-Spray.

Colour shade grey for all blue, green, golden and silver top coats.

Colour shade red for all dark red top coats.

Colour shade white for all very light top coats.

**Ord.-no:** 165010, 165027, 308011, 308028, 308059

### Quality & properties

- High quality nitro combi quality
- Very high filling power
- Good flow, smooth surface
- Gives excellent adhesion of the topcoat to the surface
- Protects against rust
- Ensures economical use of the top coat
- Improves the gloss of the topcoat
- Fast drying
- Especially user-friendly by long lasting and user friendly, well sanded and painted over quality
- For indoor and outdoor applications

### Physical & chemical data

Base: Nitrocombi resin

Colourname:

- grey
- white
- red-brown

Degree of gloss: mat GU

Efficiency:

- 150 ML – 0,3 m<sup>2</sup>
- 400 ML – 0,8 m<sup>2</sup>

Dry to touch: 30 min

Completely dry: 2 - 4 h

Surfaces: metal

Minimum Working Temperature: 10 °C

Maximum Working Temperature: 30 °C

Flash point: n.a.

Storage stability: 10 y

Content:

- 150 ML
- 400 ML

---

**How to use**

Derust, sand and clean the surface to be painted. Apply putty if necessary.  
The surface must be clean, dry, rust and grease free.  
Shake can for 2 minutes before use.  
Test spray at an invisible spot.  
Spray distance approx. 25 cm.  
Equalize small dents and porous putty spots by spraying and sanding several times.  
After drying (about 2-4 hours) sand wet with 600 grit paper, clean and allow to dry.  
Then apply top coat.  
Overcoatable with resin or acrylic paints.  
Do not spray on synthetic resin paints!

**Environmentally sound**

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal**

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

**Marking/Labelling**

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.