

presto Synthetic Adhesive Lube

Technical Information



presto Synthetic Adhesive Lube is a spray grease for lubrication of metal and plastics mechanical parts. By the excellent mechanical and thermal stability prevent wear and sticking of joints. The spray suppresses noises and provides good for corrosion.

Application areas: joints, hinges, door locks, etc.

Ord.-no: 157226

Quality & properties

- High mechanical and thermal stability
- Prevents wear and sticking
- Extremely weather resistant
- Suppresses noises
- High viscosity
- O-ring neutral, i.e. does not attack seals
- Good corrosion resistance
- Water-repellent
- Contains PTFE
- Leaves a sticky surface

Physical & chemical data

- Base: Special resin
- Colourname: white
- Surfaces: metal and plastics mechanical parts
- Minimum Working Temperature: 5 °C
- Maximum Working Temperature: 30 °C
- Flash point: n.a.
- Storage stability: 10 y
- Content: 400 ML

How to use

- Bring the can to room temperature.
- Operating temperature 5° to 30°C.
- Shake can vigorously before use.
- Before application we recommend the cleaning with presto Assembly Cleaner.
- Synthetic Adhesive Lube apply on all parts which shall be treated.
- After the evaporation of the solvent a soft, extremely adhesive lubricant film develops.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 7, 2025 – This release replaces all eventually earlier issued versions.