



## presto Copper Spray

Ord.-no.: 306383

### Technical Information



presto Copper Spray is a high-quality thin liquid lubricant with a high copper content that is particularly suited to heat-resistant and heavy-duty parts.

Application areas: - Lubricating battery contacts, brake parts, hinges and clutches - Stopping disc brake pads from squeaking - Protecting battery contacts and terminals - On spark plugs, exhaust system joints and attachments and much more - Not suitable for vehicles with ABS and ASR brake systems!

#### Quality & properties

- High thermo stability
- From -40°C to +250°C; up to 1100°C in peak load
- Excellent adhesion
- Prevent wear and clamping of treated parts
- Salt waterproof
- Good corrosion protection
- Prevents rust and oxidation
- Chemical and weather resistant
- Directed jet spray
- Heat resistant

#### Physical & chemical data

- Base: EP-2 Grease with copper
- Colourname: copper colored
- Smell: Characteristic
- Surfaces: Battery contacts, brake parts, hinges, clutches
- Minimum Working Temperature: 5 °C
- Maximum Working Temperature: 30 °C
- Spray rate: 1.26
- Vapour pressure: 3500/20 bar
- Relative density: 0.767 g/ml
- Storage stability: 10 y
- Content: 400 ML

#### How to use

- Bring the can to room temperature.
- Operating temperature 5° to 30°C.
- Shake can for 2 minutes before use.
- Surface should be clean, dry and free of grease.
- Apply evenly.
- Optimum lubrication occurs once the solvent has evaporated (ca. 1 minute).
- Screws and nuts should be sprayed before being screwed

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EEC in the actually valid version.

For any further technical questions call our hotline +49 (0) 62 66 75-266 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of August 18, 2022 – This release replaces all eventually earlier issued versions.